

IN THE CLAIMS:

Please amend claims 23 and 25 as follows:

Claim 1 (Previously Presented): A computer implemented method of image processing by performing a frequency-domain transform on frames of pixel values in a time-domain sequence having a sequence length N , wherein the method is executed by a processor, the method comprising

decomposing the time-domain signal to a plurality of decomposed signals, wherein each of the plurality of decomposed signals includes a sequence length less than N ;

performing a transform on the plurality of decomposed signals to obtain a transformed signal;

composing the plurality of transformed signals to obtain a composed signal of the pixel values, including a sub step of

frequency domain scaling at least one of the transformed signals to define the pixel value.

Claim 2 (Original): The method of claim 1, further comprising

determining a value for a scale factor based on N ; and

using the determined value for a scale factor in the sub step of scaling at least one of the transformed signals.

Claim 3 (Original): The method of claim 2, wherein the steps of claim 1 are performed in real time and wherein the step of determining a value for a scale factor is performed in non-real time.

Claim 4 (Original): The method of claim 1, further comprising

determining a value for a scale factor; and

using the determined value for a scale factor in the substep of scaling at least one of the transformed signals.

Claim 5 (Original): The method of claim 4, wherein a value for a scale factor is a constant.

Claim 6 (Original): The method of claim 5, wherein a value for a scale factor is zero.

Claim 7 (Original): The method of claim 1, wherein the frequency-domain transform includes a discrete cosine transform.

Claim 8 (Previously Presented): The method of claim 7, wherein the substep of scaling at least one of the transformed signals includes a sub step of

using a factor of $\frac{1}{2 \cos(\frac{\pi K}{N})}$ in the frequency domain scaling.

Claim 9 (Previously Presented): An apparatus for image processing including for performing a frequency-domain transform on a time-domain signal sequence defining a frame of pixel values having a sequence length N, the apparatus comprising

a processor configured to;

decompose the time-domain signal to a plurality of decomposed signals, wherein each of the plurality of decomposed signals includes a sequence length less than N;

perform a transform on the plurality of decomposed signals to obtain a transformed signal; and

compose the plurality of transformed signals to obtain a composed signal comprising the pixel values,

including frequency domain scaling scale at least one of the transformed signals to define the pixel values.

Claim 10 -22 (Cancelled)

Claim 23 (Currently Amended): A computer-readable medium including instructions executable by a processor for performing a method of image processing by performing a frequency-domain transform on a time-domain signal sequence on frames of pixel values having a sequence length N, by performing the steps of:

- decomposing the time-domain signal to a plurality of decomposed signals, wherein each of the plurality of decomposed signals includes a sequence length less than N;

- performing a transform on the plurality of decomposed signals to obtain a transformed signal; and

- composing the plurality of transformed signals to obtain a composed signal comprising the pixel value,

- including the substep of frequency domain scaling at least one of the transformed signals to define the pixel values.

Claim 24 (Previously Presented): The computer-readable medium of claim 23, further comprising

- determining a value for a scale factor based on N; and

- using the determined value for a scale factor in the sub step of scaling at least one of the transformed signals.

Claim 25 (Currently Amended): The computer-readable medium of claim 24, wherein the steps of claim [[1]] 23 are performed in real time and wherein the step of determining a value for a scale factor is performed in non-real time.

Claim 26 (Previously Presented): The computer-readable medium of claim 23, further comprising

- determining a value for a scale factor; and

- using the determined value for a scale factor in the substep of scaling at least one of the transformed signals.

Claim 27 (Previously Presented): The computer-readable medium of claim 25, wherein

a value for a scale factor is a constant.

Claim 28 (Previously Presented): The computer-readable medium of claim 26, wherein a value for a scale factor is zero.

Claim 29 (Previously Presented): The computer-readable medium of claim 23, wherein the frequency-domain transform includes a discrete cosine transform.

Claim 30 (Previously Presented): The computer-readable medium of claim 28, wherein the substep of scaling at least one of the transformed signals includes a sub step of

using a factor of $\frac{1}{2 \cos(\frac{\pi K}{N})}$ in the frequency domain scaling.

Claim 31 (Previously Presented): The apparatus of claim 9, further configures to determine a value for a scale factor based on N; and use the determined value for a scale factor in scaling at least one of the transformed signals.

Claim 32 (Previously Presented): The apparatus of claim 31, wherein a value for a scale factor is a constant.

Claim 33 (Previously Presented): The apparatus of claim 32, wherein a value for a scale factor is zero.

Claim 34 (Previously Presented): The apparatus of claim 33, wherein the substep of frequency-domain transform includes a discrete cosine transform.

Claim 35 (Previously Presented): The apparatus of claim 34, wherein the frequency domain scaling at least one of the transformed signals includes using a factor of

$\frac{1}{2 \cos(\frac{\pi K}{N})}$ in the frequency domain scaling.